

Zhuhai LTECH Technology Co., Ltd

15th Building, No.3, Pingdong 6th Road Nanping Technical Industrial Park, Zhuhai, Guangdong, China

TEL: +86 756 620 8255 FAX: +86 756 620 8833 E-mail: It@Itechonline.com Website: www.ltech-led.com



LTECH WeChat Official Account L-Home App







LTECH Whole House Intelligence

Enjoy the exceptional quality of life

After you issue a voice command curtains will close automatically Each time you wake up in the morning, beautiful music will start playing for you

Based on the world's leading intelligent lighting technology the philosophy that "Create healthy and comfortable lighting environments" is built into LTECH Whole House Intelligence. Smart gateways home appliances, speakers and other smart devices are controlled by a smart home system to build the smart ways you live with multiple interaction modes. We commit ourselves to creating a green high-end and comfortable smart life for each user.






Super Smart Technologies		Super + Series Super Smart Panels		Super Smart Panels/ Switches/Remote		Super Smart Accessories		Super Smart Modules & Drivers		Whole House Intelligence Solutions	
03-04	Overview of Whole House Intelligence	15-16	Design Inspiration of Super+ Series	35-36	Super Panel	43-44	Total Control of All Home Appliances	57-58	Super Smart Drivers	71-72	Whole House Smart Control
05-06	Bluetooth 5.0 SIG Mesh System	17-22	Super Panel 6S	37-38	Super Panel Options	45-46	Home Appliance Module	59-60	T-PWM Super Depth Dimming Technology	75-76	Solution for
07-08	Distributed Scene Storage Technology	23-26	Creativity Series Super Smart Panels	39-40	Premium Series Smart Panels	47-48	Central Air Conditioner Module	61-62	(0.0001% Dimming Level) Super Wireless Modules 2.0	77-78	Residential Homes Solution for
07-08	Light/Distance Detection	27-28	Super Panel 4S	41-42	Elegant Series Smart Panels	49-50	Microwave Motion Sensor	63-66	Constant Current/	//-/8	High-End Villas
09-10	Three Interaction Modes	29-32	Activated Series	41-42	Bluetooth	51-56	Bluetooth Accessories	Voltage LED Drivers	79-80	Customized Solutions	
11-12	Adaptive Lighting		Super Smart Panels		LED Remote			67-68	Magnetic Track Light LED Drivers		
13-14	UI Card Design	33-34	Panel Combination Design					69-70	Professional Solutions		

for Smart Lighting

LTECH Whole House Intelligence







Create the Aesthetics of Your Home

Reduce complexity through centralized management



Smart Gateway Smart Lighting Smart Home Appliance Smart Speaker

Ensure the stability in a large house

Even without the Internet several hundred devices still work within LAN

Support Ethernet, 2.4 GHz, 5 GHz Wi-Fi or Bluetooth 5.0 SIG Mesh connection



Wifi

2.4G/5G Bluetooth 5.0 SIG Mesh

E

Type-C port

OTA


Upgrade

Infrared home appliances

Bluetooth

·))

Ethernet



Support up to **300** nodes

Each node extends signals to every other node





Transmission speed

Communication range

Two Types of Bluetooth Mesh Network Protocols:

Standard SIG Mesh Network

Made by Bluetooth Alliance Verified by international technical experts

*All LTECH Bluetooth products are SIG Mesh-certified



times



Data capacity

*Compared to its predecessor Bluetooth 4.2

Nonstandard

Private Mesh Network Made by private corporations No certification for its stability

New technology for storing distributed scenes


- Local scenes

07

- No gateway needed
- No network required

Edge computing for devices running locally at high speed

Faster, more stable





Detect nearby people and light changes

Dcm

• Light detection: Automatically adjust screen brightness

· Distance detection: Screen wakes up automatically when people is detected within 30cm




Empowered by AloT Break through the boundaries of smart home ecosystem

· Works with Amazon Alexa and Google Assistant



amazon Googl





Touch screen interaction

Touch screen offers a complete view and places operations literally at your fingertips

Three interaction modes

APP interaction

Control your devices from anywhere, anytime

Button interaction

It is appropriate for people of all ages

Adaptive Lighting

Match the needs of human biological cycles



Applications (no settings required) Circadian Lighting

LTECH Home AI can get the weather forecast and mimic the intensity and color temperature of natural light throughout the day to support human circadian rhythm.




Super Applications Customized Circadian Lighting

Customize circadian lighting curves that meet the demands of lighting in residential homes, hotels, offices, supermarkets, schools and hospitals.





Circadian lighting settings



12

Personalized, user-friendly interfaces

635

11

X

2000

22 Akrolin

0,5%

Switch .

24°C destr

Make it easy to display the weather time, news, music widgets on one screen

smart Switch

Jile

air conditionet

260

×

35.

, Do you remember the number of

0

0

Lamp

Sleeping

Celling Jamp

2





SP-GW-4S Super Panel 4S

SUPER: Series Smart Panels





S1 Pro Creativity Series Smart Switch (1 Gang)

S2 Pro Creativity Series Smart Switch (2 Gang)





S1

S2 Activated Series Smart Switch (2 Gang)

Activated Series Smart Switch (1 Gang)



SP-GW-6S Super Panel 6S



S3 Pro Creativity Series Smart Switch (3 Gang)



SQ Pro Creativity Series Smart Switch (Knob)



S3 Activated Series Smart Switch (3 Gang)



SQ Activated Series Smart Switch (Knob)





n Award 2022

DESIGN AWARD 2022

Ų



13:14 🍮

O

(- I

SUPER : SERIES PANELS

Whole House Interconnection Center

Live A Simpler, Smarter Life

🔵 Gold 🛛 🔵 White



<- I

- -







Mondrian-inspired combination



SUPER 🕂 Super Panel 6S

An all-around smart panel


Ensuring the full connectivity for the entire home





Get instant access to the panel

Available in recessed and surface mounting





• Recessed mounting 86 type junction box No need to modify wiring Magnetic wall mount







High configuration for best performance




- Direct control over home appliances Support 8000+ brands
- 6-inch FHD IPS display
 with 0.8mm border Resolution: 1280*720
- 2-CH Switch, 400W/CH
- USB Type-C powered port

Meticulous Craftsmanship

Capacitive multi-touch screen Anti-fingerprint coating Light/distance detection

Magnetic wall mount



250gf push button Skin and eco-friendly paints


UL 94 V-0 flammability standard

AAC 1813 speaker

2

RJ45 port for Ethernet connection

Full-isolated structural design



86 type junction box



Home Sleep •

S1 Pro

S2 Pro

Borderless PMOLED Display

· Color OCA

• On-screen display: text and icons are shown on the screen and can be easily changed with the APP



S3 Pro

SQ Pro

Smart, user-friendly screen display

Pose a personalized message on the screen (supporting max 36 characters)

JUS: Movie Reading Don't forget Party to have dinner 49 Happy Birthday Buy some 12 Sleep meat for BBQ

Three display patterns: Text / Icon/ Text+Icon



Convert traditional lights into smart ones

Short press: Turn light ON/OFF, perform scene Long press: Adjust brightness, CT, light colors

Serve as a personal butler that helps you easily enjoy your smart life

Make smart control easier



Multiple communication protocol options

No limit for the number of connected devices

Multiple control modes available

Auto screen brightness adjustment Auto wake up when approaching within 12 inches



SUPER 🖶 Activated Series Smart Switches

Actions are performed instantly with just one tap on the wall panel



Enhance your home's aesthetics with a great combination of wall panels

Automated interconnection between group panels

Freely and quickly sync group panels Set up multi-location access and control several panel groups simultaneously

<	Add d	evice	E
Smart gateway Smart	DIM light	CT light group	
lighting	group		group
Smart module	RGBW	RGBWY	Switch mode
Home appliance	light group	light group	group
Smart panel	1-Gang	2-Gang	3-Gang
F	Smart switch	Smart switch	Smart swite
Cancel	Add g	roup	Confirm
Group na	me 4-Gang	Smart switch	group

Panel 1

Panel 3

Panel 2

1st floor panel group



Panel 2 Panel 3

Dining ro..

Give you great flexibility in choosing the installation mode

Directly install the panel in the 86 type junction box Place or stick it on a flat surface





·Junction box AC powered

·Battery powered

The minimalist aesthetics

86 type junction box












Triple panel surround

Double panel surround







Create a cohesive look for your walls

400+panel combinations | Unified mounted boxes

Quad panel surround





SP-GW-BLE Super Panel

Super Panel Super Smart Switches





PS-BLE01 Elegant Series Super Smart Switch (1 Gang)



S8M Premium Series Super Smart Switch (8 Gang)

S4M Premium Series Super Smart Switch (4 Gang)



PS-BLE02 Elegant Series Super Smart Switch (2 Gang)

PS-BLE04

Elegant Series Super Smart Switch (4 Gang)

Super Panel

Whole House Smart Control Center

- Enable extensive control over smart devices
- Provide multiple interaction modes
- Deliver ultimate experience

SP-GW-BLE

Wednesday, May, 20

Switch 1









Super Panel 4S

4-inch

2 mic array

0.8mm border

6-inch 4 mic array 0.8mm border



Super Panel 6S

Super Panel

4-inch

2 mic array 0.8mm border



The flat panel design and evenly spaced 250gf buttons make a visual impact and deliver a perfect user experience. Switches use CNC technology with aviation aluminum alloy and have undergone the pressure test 100,000 times that deliver the best quality possible.





ATECH

Elegant Series

Break with traditional installation ways and allow custom installation, such as placing on a table and pasting anywhere

Control all various types of luminaires in the house

Provide excellent user experience and get lighting setup via a long press and a short press

No need to run wires or cut wall holes. Paste it and be ready to use

	стерн	
PS-BLE01	PS-BLE02	PS-BLI



E04



Bluetooth LED remote

Enable you to simultaneously control multiple types of luminaires in different areas of your home

Turn various types of lights on/off and change the brightness and colors of lights

Simple and flexible operations put the lighting control in the palm of your hands and make your life smarter

Achieve smart linkage via the app and let you enjoy the smart life

Work with gateway devices to control lights by automation







HAM-BLE Home Appliance Module MR04-LBS Ceiling Type Microwave Motion Sensor





CG-CUR15 Bluetooth Curtain Motor RELAY-BLE01 Single-Channel Bluetooth Relay

Super Smart Accessories





Motion Sensor



CG-AIR

Central Air Conditioner Module (Floor Heating/Fresh Air)



CG-AUDIO

Music Player



CG-TRIG Bluetooth Dry Contact

Take total control of all your home appliances

Get the right temperature, light intensity and have audio and video control with a diverse range of smart accessories. You can connect more smart devices to work together. Say goodbye to the traditional control method for home appliances and embrace the smart one. Get your entire home under control in the palm of your hand



Home Appliance Module

Control all your electronic devices by one tap 9 Fan L-Home Curtain Air conditioner 0 Water heate Airer TV



• Remotely access your devices via Wi-Fi, 4G/5G, and support remote firmware upgrade for the latest version

• With the database of 8000+ infrared codes, more than 95% of infrared home appliances on the market are compatible

Support cloud scenes and automation control

Central Air Conditioner Module (Floor Heating/ Fresh Air)

Turn ordinary air conditioners into smart ones and freely control your room temperature





CG-AIR

Access remote control via the app

Gain timing control

• Work with smart air conditioners that support scene linkage

Achieve linkage with other smart home devices

Microwave Motion Sensor

Wherever you are, lighting is there for you

1. A.



Microwave motion send Smart lighting home appliance

.....

.....



Precisely detect human motions









\$





%





Bluetooth Music Player

- Use advanced Bluetooth 5.0 SIG Mesh networking technology and controlled by RDM/DMX 512 protocol
- Connect with our L-Home IoT Cloud Platform through Bluetooth Mesh
- Provide multiple playback options, such as USB flash disk, TB card or mobile phone
- Support multiple output modes, such as wired active speaker or Bluetooth speaker







Bluetooth Curtain Motor

- Controlled remotely via the app, or controlled by a remote and voice commands
- Silent DC motor. It runs smoothly and generates less heat
- Automatically memorize the position of the curtain and operate automatically when the power is off.
- Soft start function. If the curtain meets resistance during operating, it will stop





CG-CUR15





Bluetooth Dry Contact

- Use advanced Bluetooth 5.0 SIG Mesh networking communication technology that transmits high-speed and stable signals
- Connect with our L-Home IoT Cloud Platform
- Controlled by third-party smart devices as well






RELAY-BLE01

Single-Channel Bluetooth Relay


- Quickly turn on/off the device through Bluetooth control
- Work with a Super Panel, a smart wireless switch or a smart remote Control it via the APP

Provide a extensive range of products





Super Smart Modules & Drivers







SE-12-100-500-W1B (12W 100-500mA DIM)



SE-12-100-500-W2B (12W 100-500mA CT)



SE-30-200-900-W2B (30W 200-900mA CT)



SE-40-300-1050-W1B (40W 300-1050mA DIM)

Super Smart Drivers T-PWM[®]

Adopt T-PWM super depth dimming technology that it is ideally suited for use in various lights, including linear lights, downlights, spotlights, magnetic track lights, etc. Create healthy, comfortable and smart lighting environments.



T-PWM[®] dimming technology that achieves dimming down to 0.0001%

Super depth dimming level: 0.0001%

0.0001% 0.001% 0.01% 0.1% Types of depth dimming

Current of maximum brightness For example Testing standard: Lamp Current of minimum brightness

300mA ≥0.0001% ≤0.0003mA



Super Wireless Modules 2.0

Wired +Wireless solution





CG-T BLE - Triac

- commercial spaces, etc
- Adopt the advanced Bluetooth 5.0 SIG Mesh networking technology
- OTA upgrade enables automatic and timely upgrade of firmware
- Cover four major dimming interfaces and control DIM, CT and colors of various lights
- Provide multiple parameter options to meet the demands of any occasion



CG-D BLE - DALI



CG-DAM (3 in 1) BLE-DALI, 0-10V, DMX

• Compatible with four major dimming protocols, suitable for applications in homes,

Constant Voltage LED Drivers

Soft start dimming creates a gradual and smooth transformation for enhanced visual comfort

• User-friendly design. Built-in soft start function produces a warm glow



LM Series

• New technology for dimming lights down to 0.0001% lets you freely select the optimal brightness

• Flicker-free dimming, high frequency exemption level. It is kind to your eyes

• Controlled via a panel, a remote or your phone. Achieve consistency of lighting effects among multiple devices

Constant Current LED Drivers

0

0

0

Provide exceptional lighting for you

0



SE Series

• High performance, great quality. Flicker-free, soft lighting

• Ultra small, thin, lightweight

• Rubycon capacitor, 5-year warranty

Control all various types of luminaries in your home

• Simple and elegant with screwless clamshell design. A perfect combination of art and utility.

Magnetic Track Light LED Drivers





0/1-10V DALI Bluetooth 5.0 Zigbee

• Meet the IEEE1789 standard. Flicker-free, high frequency exemption level

• Simple installation. Quiet, no high frequency noise

• Only 15g in weight, suitable for STUCCHI standard housings

• 48V low voltage design, protection against polarity reversal

Professional solutions for smart lighting

Meet the demands of various scenes



0-150W CT **10** 0-150W CT RGBW

0-150W DIM



Intelligently control your entire home through Internet of Things

M . .

3

(D)

æ

20

Link up with other smart devices to create a comfortable smart life

RGBN light







K







0.

light AGBN

 (\cdot)

0

C

3







Customized solutions



Solution for high-end villas

It aims at a villa area between 150 m² and 350 m². Different device can be integrated through centralized management. The hierarchical management is also achieved for multiple rooms, floors and zones. Multiple interaction modes are provided to control your entire smart home easily. It comprehensively controls your smart life.

77



Customized solutions

Offer tailor-made solutions for creating a high-end smart life, based on user's actual needs and house layout. Provide users with the exclusive solutions with particular products and design.

